



2026 / PRODUCT COLLECTION

LED Solar Garden Light

A complete collection for outdoor living.

WhatsApp



WeChat




GARDEN / WALL / PORTABLE / POOL



Spectroscopic Analysis System



Simulate Waterproof Tester



Lightning Surge Generator




Multiple Temperature Tester



Hi-pot Tester



Automatic Glue Applicator



Aging Test Area



Assembly Line



Packaging Process



Packaging Process



CERTIFICATE 【HAVE CE, GS, ROHSAND ERP 6000 HOURS】



A light for every setting.

Explore the collection by application, then use the model index to find a specific MS item.



01

Garden & Path Lighting

Stake lights, ground lights and garden lanterns for pathways, planting and outdoor spaces.

03 - 18

MODEL INDEX

92




02

Wall & Flood Lighting

Wall washers, sensor lights and floodlights for entrances, fences and exterior walls.

19 - 76




03

Pendants & Portable Lighting

Pendant, desk, camping and rechargeable lights for a versatile lighting collection.

77 - 85



04

Pool & Street Lighting

Pool lights and compact streetlights complete the outdoor collection.

86 - 91

01

Light the path, Shape the garden.

Stake lights, ground lights and garden lanterns for pathways,
planting and outdoor spaces.


GARDEN & PATH LIGHTING

04 - 18



MS-DC001

All-in-one Stake Light



3-Color Temperature/RGB Can Choose



Plug-in Installation



Wall-mounted Installation


Three color temperatures. Ground stake or wall-mounted installation.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Standard	80W	50×95×385mm	5V / 1.5W 94×H126mm	3.7V / 1500mAh	SMD2835 × 3 pcs

MS-DC003

Split-type Stake Light



4-in-1 lens / small lens / reflective cup lens. Three color temperatures or RGB.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
3 CCT / RGB	80W	190×140×470mm	5V / 1.8W 137×H84mm	3.7V / 1800mAh	3 CCT: SMD2835 × 84 pcs RGB: SMD5050 × 21 pcs

MS-DC006

Adjustable-focus Stake Light



Telescoping Adjustable focus



3-Color Temperature Adjustable




Camera style. Telescoping adjustable focus. Three color temperatures.

SPECIFICATIONS


Variant	Power	Product size	Solar panel	Battery	LEDs
Camera style	80W	127×88×43mm	5V / 1.8W 141×H88mm	3.7V / 1800mAh	CHINA KERUI high-power dual-color module, 3W+3W

MS-DC008

Adjustable-focus Stake Light



Long-Range Emission
The Irradiation Distance/Range
Can Be Adjusted At Will





Telescope style. Adjustable beam distance / range. Three color temperatures.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Telescope style	80W	127×88×43mm	5V / 2.2W 102×H139mm	3.7V / 1800mAh	CHINA KERUI high-power dual-color module, 3W+3W

MS-1859

Solar In-ground Light



Die-cast aluminum alloy housing. Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

2 pcs

SOLAR PANEL

2V / 0.26W

IP RATING

IP67

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

Aluminum housing + ABS + PC

PACK QUANTITY

1 pc / carton

BATTERY

1.2V / 600mAh

PRODUCT SIZE

87×77.5×33.8mm

WORKING TIME

> 150 times

CONTROL

Light control + switch

WARRANTY

1 year

MS-1829G

Solar Ground Stake Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

110 pcs

SOLAR PANEL

5.5V / 0.99W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 / 2 pcs

BATTERY

3.7V / 1200mAh

PRODUCT SIZE

130×96×98mm

WORKING TIME

>400 times

CONTROL



Light control + switch

WARRANTY

1 year

MS-1829

Solar Stake Light



High light / low light / breathing mode.

LEDS / LIGHT SOURCE

59 pcs

SOLAR PANEL

5V / 0.9W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥100 lm

WARRANTY

1 year

BATTERY

1500mAh / 3.7V

PRODUCT SIZE

256.7×95×121.5mm

WORKING TIME

>8 hours

CCT


3000K / 4000K / 6500K

MATERIAL

ABS+PC

MS-1833

Solar Ground Stake Light



Always-on lighting.

LEDs / LIGHT SOURCE

65 pcs

SOLAR PANEL

5.5V / 0.55W

IP RATING

IP64

CHARGING TIME

5 hours

BATTERY

2200mAh / 3.7V

PRODUCT SIZE



134×161×364mm / 134×161×141mm

WORKING TIME

8-12 hours

MS-1827

Solar Stake Light



High light / low light / breathing mode.

LEDS / LIGHT SOURCE

32 pcs

SOLAR PANEL

5.5V / 0.9W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥100 lm

WARRANTY

1 year

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

207×89×117mm

WORKING TIME

> 120 times

CCT

3000K / 4000K / 6500K

MATERIAL

ABS+PC

MS-C18-24D

Solar Stake Light



High light / low light / breathing mode.

LEDS / LIGHT SOURCE

24 pcs (12W + 12Y)

SOLAR PANEL

5.5V / 1.3W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥300 lm

WARRANTY

1 year

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

136×106.5×52mm

WORKING TIME

> 120 times

CCT


3000K / 4000K / 6500K

MATERIAL

ABS+PC

MS-WD9D

Solar Stake Light



Always-on lighting.

LEDS / LIGHT SOURCE

9 pcs

SOLAR PANEL

5V / 2W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥70 lm

WARRANTY

1 year

BATTERY

1200mAh

PRODUCT SIZE

100×170×65mm

WORKING TIME

6-8 hours

CCT


3000K / 6500K

MATERIAL

ABS

MS-1813A-COB

Solar Garden Lantern



Always-on lighting.

LEDS / LIGHT SOURCE
COB

SOLAR PANEL
2V / 0.2W

IP RATING
IP64

CHARGING TIME
6-8 hours in bright sunlight

LUMINOUS FLUX
≥20 lm

WARRANTY
1 year

BATTERY
600mAh

PRODUCT SIZE
103.5×88.5×176mm

WORKING TIME
>8 hours

CCT
3000K

MATERIAL
ABS+PC

MS-1813B-COB

Solar Garden Lantern



Always-on lighting.

LEDS / LIGHT SOURCE
COB

SOLAR PANEL
2V / 0.2W

IP RATING
IP64

CHARGING TIME
6-8 hours in bright sunlight

LUMINOUS FLUX
≥20 lm

WARRANTY
1 year


BATTERY
600mAh

PRODUCT SIZE
107.5×89.5×176mm

WORKING TIME
>8 hours

CCT
3000K

MATERIAL
ABS+PC




MS-1818

Solar Garden Path Light



Always-on lighting.



LEDS / LIGHT SOURCE
COB

SOLAR PANEL
2V / 0.4W

IP RATING
IP44

CHARGING TIME
6-8 hours in bright sunlight

LUMINOUS FLUX
≥50 lm

WARRANTY
1 year

BATTERY
800mAh

PRODUCT SIZE
Dia.136×672.5mm

WORKING TIME
>8 hours

CCT
3000K


MATERIAL
ABS+PC

MS-1819

Solar Garden Path Light



Always-on lighting.



LEDS / LIGHT SOURCE

COB

SOLAR PANEL

2V / 0.4W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥50 lm

WARRANTY

1 year

BATTERY

800mAh

PRODUCT SIZE

Dia.121.6×665.5mm

WORKING TIME

>8 hours

CCT

3000K

MATERIAL

ABS+PC




02

Give every space a brighter outlook.

Wall washers, sensor lights and floodlights for entrances, fences
and exterior walls.

WALL & FLOOD LIGHTING

20 - 76



MS-BD001

Arc Flood Light



Small Lens



4-in-1 Lens



Reflective Cup Lens

With sensor. 16.4ft cord.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Small lens	80W	132×41×143mm	5.5V / 1.8W 137×H84mm	3.7V / 1500mAh	SMD2835 × 126 pcs
4-in-1 lens	80W	132×41×143mm	5.5V / 1.8W 137×H84mm	3.7V / 1500mAh	SMD2835 × 184 pcs
Reflective cup	80W	132×41×143mm	5.5V / 1.8W 137×H84mm	3.7V / 1500mAh	SMD2835 × 248 pcs

MS-BD002

Long-arm Flood Light



Push-button switch. Switchable radar sensing / always-on mode. 16.4ft cord.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Standard	100W	225×123×55mm	5V / 4.5W 241×117mm	3.7V / 4000mAh	SMD2835 × 299 pcs

MS-BD003

Ultra-thin Flood Light



16.4ft
Cord



Small Lens



Diamond Lens



4-in-1 Lens

36mm thickness. 16.4ft cord.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Small lens	100W	149×109×36mm	6V / 1.5W 149×109×36mm	3.7V / 1500mAh	SMD2835 × 113 pcs
Diamond lens	100W	149×109×36mm	6V / 1.5W 149×109×36mm	3.7V / 1500mAh	SMD2835 × 113 pcs
4-in-1 lens	100W	149×109×36mm	6V / 1.5W 149×109×36mm	3.7V / 1500mAh	SMD2835 × 184 pcs

MS-BD006

Ultra-thin Wall Lamp



SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Strip lens	80W	185×157×36mm	6V / 1.4W 150×57.5×T3.2mm	3.7V / 1500mAh	SMD2835 × 130 pcs
Small lens	80W	185×157×36mm	6V / 1.4W 150×57.5×T3.2mm	3.7V / 1500mAh	SMD2835 × 75 pcs



Strip Lens



Small Lens

36mm thickness.

MS-BD007

Multi-panel Sensor Wall Lamp




Series 1. 16.4ft cord.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Small lens, 3 panels	100W	323×216×55mm	5V / 1.8W 137×H84mm	3.7V / 1800mAh	SMD2835 × 223 pcs
4-in-1 lens, 3 panels	100W	323×289×55mm	5V / 3.5W 173×H118mm	3.7V / 2400mAh	SMD2835 × 236 pcs
Small lens, 4 panels	120W	323×255×55mm	5V / 1.8W 137×H84mm	3.7V / 2400mAh	SMD2835 × 320 pcs
4-in-1 lens, 4 panels	120W / 200W	323×289×55mm	5V / 3.5W 173×H118mm 6V / 6W 272×H138mm	3.7V / 2400mAh 3.7V / 4000mAh	SMD2835 × 320 pcs

MS-BD007

Multi-panel Sensor Wall Lamp



SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Small lens, 4 panels	120W	323×255×55mm	5V / 1.8W 137×H84mm	3.7V / 2400mAh	SMD2835 × 278 pcs
4-in-1 lens, 4 panels	200W	323×289×55mm	6V / 6W 272×H138mm	3.7V / 4000mAh	SMD2835 × 292 pcs



Series 2. 16.4ft cord. 270-degree illumination; 5m sensing range.

MS-BD008

Three-sided Wall Lamp



Strip Lens



Small Lens

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Strip lens	80W	207×47×126mm	6V / 1.4W 150×57.5×T3.2mm	3.7V / 1500mAh	SMD2835 × 130 pcs
Small lens	80W	207×47×126mm	6V / 1.4W 150×57.5×T3.2mm	3.7V / 1500mAh	SMD2835 × 75 pcs

MS-BD010

Strip-lens Wall Lamp



Strip Lens



Charging On Daylight



Lighting At Night

Solar charging by day;
lighting at night.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Strip lens	80W	122×47×92mm	5V / 0.6W 280×H136mm	3.7V / 800mAh	SMD2835 × 114 pcs

MS-BD011

Dual-sensor Solar Wall Lamp



2 Induction With 3-Page



Dual sensors. Three-panel light. 16.4ft cord.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
3 panels	150W	263×93×55mm	5V / 1.8W 137×H84mm	3.7V / 1500mAh	SMD2835 × 246 pcs

MS-BD012

Three-sided Wall Lamp




RGB / three color temperatures.



RGBCW/3-Color Temperature Can Choose



Charging On Daylight



Lighting At Night

SPECIFICATIONS



Variant	Power	Product size	Solar panel	Battery	LEDs
RGBCW	80W	123×59×42mm	5V / 1W 110×H58.5mm	3.7V / 1200mAh	SMD5050 RGBCW × 4

MS-BD015

Three-sided Wall Lamp




With 433 Remote Control



RGBCW/3-Color Temperature Can Choose



Charging On Daylight



Lighting At Night

433 remote control. RGB / three color temperatures.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
RGBCW	80W	72×62×125mm	5V / 1W 58×H110mm	3.7V / 1200mAh	SMD5054 RGBCW × 3

MS-BD016-E

Ultra-thin Split Wall Lamp



16.4ft
Cord


16.4ft cord.



170 Beads



202 Beads



270 Beads

SPECIFICATIONS


Variant	Power	Product size	Solar panel	Battery	LEDs
170 LEDs	100W	141×97×33.4mm	5.5V / 1.8W 141×88mm	3.7V / 1500mAh	SMD2835 × 170 pcs
202 LEDs	100W	141×97×33.4mm	5.5V / 1.8W 141×88mm	3.7V / 1500mAh	SMD2835 × 202 pcs
270 LEDs	100W	141×97×33.4mm	5.5V / 1.8W 141×88mm	3.7V / 1500mAh	SMD2835 × 270 pcs

MS-BD017

3-CCT Fence Wall Lamp



RGB / three color temperatures.



SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
Variant 1	80W	114×54×42mm	5V / 1W 110.4×58.5mm	3.7V / 1200mAh	SMD2835 × 2 pcs
Variant 2	80W	114×54×42mm	5V / 1W 110.4×58.5mm	3.7V / 1200mAh	SMD2835 × 2 pcs

MS-TGD003F

Solar Floodlight | Concave Lens



Concave lens

Light emits from three sides, Wide-angle illumination

200W 350W 600W

The solar panels are modular, and the packaging volume is 40% that of products with the same power output.

The solar panels are foldable and removable
The overall size can be minimized to the utmost

Three-sided, wide-angle illumination.
Modular, foldable and removable solar panels.
Packing volume is 40% of equivalent-power products.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
100W	100W	195×142×53mm	6V / 3.5W 176×121×31mm	3.7V / 3000mAh	2835 / 136 pcs
200W	200W	195×142×53mm	22.5W / 6V	3.7V / 4Ah	2835 / 140 pcs
350W	350W	280×206×52mm	15W / 6V	3.2V / 10Ah	2835 / 320 pcs
600W	600W	352×280×52mm	22.5W / 6V	3.2V / 15Ah	2835 / 520 pcs

MS-TGD003F

Solar Floodlight | Convex Lens



Convex lens

Light emits from three sides, Wide-angle illumination

200W 350W 600W

The solar panels are modular, and the packaging volume is 40% that of products with the same power output.

The solar panels are foldable and removable. The overall size can be minimized to the utmost.

Three-sided, wide-angle illumination. Modular, foldable and removable solar panels. Packing volume is 40% of equivalent-power products.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
100W	100W	195×142×53mm	6V / 3.5W 176×121×31mm	3.7V / 3000mAh	2835 / 136 pcs
200W	200W	195×142×53mm	22.5W / 6V	3.7V / 4Ah	2835 / 140 pcs
350W	350W	280×206×52mm	15W / 6V	3.2V / 10Ah	2835 / 320 pcs
600W	600W	352×280×52mm	22.5W / 6V	3.2V / 15Ah	2835 / 520 pcs

MS-TGD003F

Solar Floodlight | Frosted Lens



Frosted lens

Light emits from three sides, Wide-angle illumination

200W 350W 600W

The solar panels are modular, and the packaging volume is 40% that of products with the same power output.

The solar panels are foldable and removable. The overall size can be minimized to the utmost

Three-sided, wide-angle illumination. Modular, foldable and removable solar panels. Packing volume is 40% of equivalent-power products.

SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
100W	100W	195×142×53mm	6V / 3.5W 176×121×31mm	3.7V / 3000mAh	2835 / 136 pcs
200W	200W	195×142×53mm	22.5W / 6V	3.7V / 4Ah	2835 / 140 pcs
350W	350W	280×206×52mm	15W / 6V	3.2V / 10Ah	2835 / 320 pcs
600W	600W	352×280×52mm	22.5W / 6V	3.2V / 15Ah	2835 / 520 pcs

MS-BD018

Rotating Wall Lamp




SPECIFICATIONS

Pack	Product size	Solar panel	Battery	LEDs
1-pack	154.3×113.7×36mm	1.3W / 5V 105×86mm	3.7V / 1200mAh	2835 / 12 pcs
2-pack	154.3×113.7×36mm	1.3W / 5V 105×86mm	3.7V / 1200mAh	2835 / 12 pcs



Wide-angle illumination



180°

Rotate 180° vertically



Solar charging in daytime



Lighting at night

180-degree vertical rotation.
Wide-angle illumination.

MS-BD007-F

Four-panel Solar Floodlight



SPECIFICATIONS

Variant	Power	Product size	Solar panel	Battery	LEDs
F-lens	100W	323×255×55mm	5V / 3.5W 173×H118mm	3.7V / 2400mAh	2835 / 236 pcs
F-lens	120W / 200W	323×289×55mm	5V / 3.5W 173×H118mm 6V / 6W 272×H138mm	3.7V / 2400mAh 3.7V / 4000mAh	2835 / 320 pcs



Four-panel wall lamp with F-lens (new)




White Light Effect

Four lamp heads with F-lens. 270-degree wide-angle illumination.

MS-1311

Solar Split Wall Lamp



Always-on / motion-sensing modes. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

255 pcs

SOLAR PANEL

5.4V / 1.7W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

3.7V / 2200mAh

PRODUCT SIZE

146×134×36mm

WORKING TIME

>370 times

MATERIAL



ABS+PC

PACK QUANTITY

1 / 2 / 4 pcs

MS-1836B / MS-1836BL

Solar Wall Washer Light




Always-on lighting.

SPECIFICATION	MS-1836B	MS-1836BL
LEDs / light source	2 pcs	3 pcs
Battery	3.7V / 1200mAh	3.7V / 1200mAh
Solar panel	5.5V / 0.7W	5.5V / 0.7W
Product size	115×53×44mm	115×53×44mm
IP rating	IP65	IP65
Working time	> 12 hours	> 12 hours
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
Material	ABS+PC	ABS+PC
Warranty	1 year	1 year
Pack quantity	1 / 2 / 4 pcs	1 / 2 / 4 pcs

MS-1862A / MS-1862B


Solar Fence Wall Washer Light



SPECIFICATION	MS-1862A	MS-1862B
LEDs / light source	5 pcs	5 pcs
Battery	3.7V / 1200mAh	3.7V / 1200mAh
Solar panel	5V / 0.5W	5.5V / 0.5W
Product size	102×75×35mm	115.5×82×36mm
IP rating	IP65	IP65
Working time	> 12 hours	> 12 hours
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
Material	ABS+PC	ABS+PC
Warranty	1 year	1 year
Pack quantity	1 / 2 / 4 pcs	1 / 2 / 4 pcs

MS-T32A / MS-T32B

Solar Wall Light




Always-on lighting.

SPECIFICATION	MS-T32A	MS-T32B
LEDs / light source	204 pcs	204 pcs
Battery	3.7V / 1200mAh	3.7V / 1200mAh
Solar panel	5.5V / 0.38W	5.5V / 0.38W
Product size	105×89×37mm	110×89×40mm
IP rating	IP65	IP65
Working time	>600 times	>600 times
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
Control	PIR sensor	PIR sensor
Material	ABS+PC	ABS+PC
Warranty	1 year	1 year
Pack quantity	1 / 2 / 4 pcs	1 / 2 / 4 pcs

MS-1863

Solar Butterfly Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

12 pcs

SOLAR PANEL

5.5V / 0.44W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

3.7V / 600mAh

PRODUCT SIZE

199×142×25mm

WORKING TIME

> 12 hours

MATERIAL


ABS+PC

PACK QUANTITY

1 / 2 / 4 pcs

MS-T24Plus

Solar Wall Light



Always-on lighting.

LEDS / LIGHT SOURCE

526 pcs

SOLAR PANEL

5.5V / 2.6W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.7V / 2200mAh

PRODUCT SIZE

258×92×120mm

WORKING TIME

> 150 times

CONTROL


PIR sensor

WARRANTY

1 year

MS-1861

Solar Wall Washer Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

40 pcs

SOLAR PANEL

5V / 0.95W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

Light control

WARRANTY

1 year

BATTERY

3.7V / 1200mAh

PRODUCT SIZE

129.7×74.4×36.9mm

WORKING TIME

> 150 times

LUMINOUS FLUX






≥30L

MATERIAL

ABS+PC

MS-1836

Solar Wall Washer Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

68 pcs

SOLAR PANEL

5.5V / 0.44W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.2V / 600mAh

PRODUCT SIZE

91×53×36mm

WORKING TIME

> 150 times

CONTROL







Light control + switch

WARRANTY

1 year

MS-1855-A

Solar Wall Washer Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

4 pcs

SOLAR PANEL

4.5V / 0.42W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.2V / 600mAh

PRODUCT SIZE

92×58×34mm

WORKING TIME

> 150 times

CONTROL


Light control + switch

WARRANTY

1 year

MS-1855-B

Solar Wall Washer Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

4 pcs

SOLAR PANEL

4.5V / 0.42W

IP RATING

IP65

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.2V / 600mAh

PRODUCT SIZE

78×78×34mm

WORKING TIME

> 150 times

CONTROL


Light control + switch

WARRANTY

1 year

MS-1828A / MS-1828B / MS-1828C

Solar Wall Light




Solar panel, lamp body and bracket each rotate 180 degrees. Wall, fence, pole or column mounting. Sensor-activated brightness: on when people arrive, off when they leave.

SPECIFICATION	MS-1828A	MS-1828B	MS-1828C
LEDs / light source	85 pcs	122 pcs	232 pcs
Battery	1800mAh / 3.7V	2200mAh / 3.7V	4000mAh / 3.7V
Solar panel	5.5V / 1.2W	5.5V / 1.6W	5.5V / 2.5W
Product size	140.5×89.5×44mm	152.5×104×45mm	208×136×50.5mm
IP rating	IP44	IP44	IP44
Material	ABS+PC	ABS+PC	ABS+PC
Lighting mode	Sensor-activated high brightness	Sensor-activated high brightness	Sensor-activated high brightness

MS-1857

Solar Wall Washer Light




3 modes: both 54-LED and 4-LED sources respond to motion; 54 LEDs respond to motion with 4 LEDs always on; or 4 wall-washer LEDs always on.

LEDS / LIGHT SOURCE	BATTERY
58 pcs	3.7V / 1200mAh
SOLAR PANEL	PRODUCT SIZE
4.5V / 0.45W	126×51×103mm
IP RATING	WORKING TIME
IP64	> 150 times
CHARGING TIME	CONTROL
6-8 hours in bright sunlight	Light control + switch
MATERIAL	WARRANTY
ABS+PC	1 year
PACK QUANTITY	
1 pc / carton	

MS-1853

Solar Step Light



Always-on lighting.

LEDS / LIGHT SOURCE

24 pcs

SOLAR PANEL

5V / 0.66W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.2V / 600mAh

PRODUCT SIZE

128×56×91mm

WORKING TIME

> 150 times

CONTROL


Light control + switch

WARRANTY

1 year

MS-1838

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

68 pcs

SOLAR PANEL

5.5V / 0.44W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.7V / 1200mAh

PRODUCT SIZE

103×50×82mm

WORKING TIME

> 150 times

CONTROL


Light control + switch

WARRANTY

1 year

MS-T22-178D

Solar Wall Light



178 LEDs. 120-degree PIR detection angle and a sensing distance up to 39 feet.

LEDS / LIGHT SOURCE

178 pcs

SOLAR PANEL

5.5V / 0.65W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥120 lm

MATERIAL

ABS+PC

BATTERY

1200mAh

PRODUCT SIZE

138×97×51.5mm

WORKING TIME

> 120 times

CCT

6500K

CONTROL




PIR sensor

WARRANTY

1 year

MS-T22L-388D

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDs / LIGHT SOURCE

388 pcs

SOLAR PANEL

5.5V / 1.3W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥400 lm

MATERIAL

ABS+PC

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

218.5×97×63mm

WORKING TIME

> 120 times

CCT

6500K

CONTROL



PIR sensor

WARRANTY

1 year

MS-T24-230D / MS-T24L-416D

Solar Wall Light





3 PIR modes: medium light / dim-light sensing / bright-light sensing.

SPECIFICATION	MS-T24-230D	MS-T24L-416D
LEDs / light source	230 pcs	416 pcs
Battery	1200mAh / 3.7V	1800mAh / 3.7V
Solar panel	5.5V / 0.65W	5.5V / 1.3W
Product size	138×96×52mm	218.5×97×63mm
IP rating	IP64	IP64
Working time	> 120 times	> 120 times
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
CCT	6500K	6500K
Luminous flux	≥130 lm	≥420 lm
Control	PIR sensor	PIR sensor
Material	ABS+PC	ABS+PC
Warranty	1 year	1 year

MS-T24B

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

232 pcs

SOLAR PANEL

5.5V / 0.55W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥130 lm

MATERIAL

ABS+PC

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

138×96×52mm

WORKING TIME

> 120 times

CCT

6500K

CONTROL


PIR sensor

WARRANTY

1 year

MS-A18

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

121 pcs

SOLAR PANEL

5.5V / 0.33W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

PIR sensor

WARRANTY

1 year

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

96×120×51mm

WORKING TIME

> 150 times

CCT


6500K

MATERIAL

ABS+PC

MS-T18-128D

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

128 pcs

SOLAR PANEL

5.5V / 0.65W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

PIR sensor

WARRANTY

1 year

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

112×115.5×50mm

WORKING TIME

8-10 hours

CCT

6500K

MATERIAL


ABS+PC

PACK QUANTITY

100 pcs / carton

MS-T18L-310D

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

310 pcs

SOLAR PANEL

5.5V / 0.65W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

PIR sensor

WARRANTY

1 year

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

198×127×60mm

WORKING TIME

10-12 hours

CCT

6500K

MATERIAL


ABS+PC

PACK QUANTITY

100 pcs / carton

MS-T17

Solar Wall Light



The Heart of Ocean. 90 LEDs provide a wider lighting angle.

LEDS / LIGHT SOURCE

90 pcs

SOLAR PANEL

5.5V / 0.65W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥120 lm

MATERIAL

ABS+PC

BATTERY

1200mAh / 3.2V

PRODUCT SIZE

143×101×53mm

WORKING TIME

> 120 times

CCT

6000K

CONTROL



PIR sensor

WARRANTY

1 year

MS-T23

Solar Wall Light



Wireless linked sensing within 8m: when one lamp detects movement, all linked lamps light up.

LEDS / LIGHT SOURCE

34 + 98 pcs

SOLAR PANEL

5.5V / 1W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥300 lm

MATERIAL

ABS

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

165×132×55mm

WORKING TIME

> 120 times

CCT

1600K / 5000K

CONTROL


PIR sensor

WARRANTY

1 year

MS-T21

Solar Wall Light



148 LEDs. 120-degree PIR sensing angle. Polycrystalline solar panel with a conversion rate up to 17%.

LEDS / LIGHT SOURCE

148 pcs

SOLAR PANEL

5.5V / 0.55W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥148 lm

MATERIAL

ABS

BATTERY

1200mAh

PRODUCT SIZE

113×124×51mm

WORKING TIME

> 100 times

CCT

6500K

CONTROL


PIR sensor

WARRANTY

1 year

MS-T18L-FT310D

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

310 pcs

SOLAR PANEL

5.5V / 1.3W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥450 lm

MATERIAL

ABS+PC

BATTERY

1800mAh

PRODUCT SIZE

198×128×62mm

WORKING TIME

>200 times

CCT

6500K

CONTROL


PIR sensor

WARRANTY

1 year

MS-T22L-FT380D

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

380 pcs

SOLAR PANEL

5.5V / 1.3W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥420 lm

MATERIAL

ABS+PC

BATTERY

1800mAh

PRODUCT SIZE

218.5×97×63mm

WORKING TIME

> 100 times

CCT

6500K

CONTROL



PIR sensor

WARRANTY

1 year

MS-1822

Solar Wall Light



Motion and light sensing. On when people arrive, off when they leave. On at night and off during the day.

LEDS / LIGHT SOURCE

40 pcs

SOLAR PANEL

5.5V / 0.65W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS

OPERATING TEMPERATURE

-25 °C to 65 °C

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

108×165×63mm

WORKING TIME

>8 hours

LUMINOUS FLUX




≥60 lm

WARRANTY

1 year

MS-1826

Solar Wall Light



Two modes: warm white always on / RGB always on.

LEDS / LIGHT SOURCE

1 pc WW + 1 pc RGB

SOLAR PANEL

2V / 0.28W; 80×45

IP RATING

IP66

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥10 lm

WARRANTY

1 year

BATTERY

600mAh

PRODUCT SIZE

130×130×56mm

WORKING TIME

>8 hours

CCT



3000K / RGB

MATERIAL

ABS+PC

MS-AF-01

Solar Wall Light



214 LEDs. Four heads are adjustable through a 360-degree angle. Folding housing reduces packing volume.

LEDS / LIGHT SOURCE

214 pcs

SOLAR PANEL

5.5V / 1.265W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

2400mAh

PRODUCT SIZE

299×144.5×194mm

WORKING TIME


> 100 times

MATERIAL

ABS+PC

MS-AF003 / MS-AF003S

Solar Multi-head Wall Light





3 PIR modes: medium light / dim-light sensing / bright-light sensing.

IP rating: IP64 | Material: ABS+PC | Control: PIR sensor, 3 modes

Configuration	Solar panel	LEDs	Battery	Product size
3 heads	5.5V / 1.65W	SMD2835, 122 pcs	1200mAh / 3.2V	217×185×85mm
4 heads	5.5V / 1.65W	SMD2835, 164 pcs	1200mAh / 3.2V	217×235×85mm
5 heads	5.5V / 1.65W	SMD2835, 214 pcs	2400mAh / 3.2V	340×185×85mm
6 heads	5.5V / 1.65W	SMD2835, 256 pcs	2400mAh / 3.2V	340×235×85mm

MS-1811A-COB

Solar Wall Lantern



Always-on lighting.

LEDS / LIGHT SOURCE
COB

SOLAR PANEL
2V / 0.33W

IP RATING
IP44

CHARGING TIME
6-8 hours in bright sunlight

LUMINOUS FLUX
≥20 lm

WARRANTY
1 year

BATTERY
600mAh

PRODUCT SIZE
86×133×58mm

WORKING TIME
>8 hours

CCT
3000K


MATERIAL
ABS+PC

MS-1811B-COB

Solar Wall Lantern



Always-on lighting.



LEDs / LIGHT SOURCE

COB

SOLAR PANEL

2V / 0.33W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥20 lm

WARRANTY

1 year

BATTERY

600mAh

PRODUCT SIZE

86×133×58mm

WORKING TIME

>8 hours

CCT



3000K

MATERIAL

ABS+PC

MS-1812A

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

108 pcs

SOLAR PANEL

5.5V / 1.4W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥400 lm

MATERIAL

ABS+PC

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

146×103×52mm

WORKING TIME

> 120 times

CCT

6500K

CONTROL


PIR sensor

WARRANTY

1 year

MS-1812B

Solar Wall Light



3 PIR modes: medium light / dim-light sensing / bright-light sensing.

LEDS / LIGHT SOURCE

124 pcs

SOLAR PANEL

5.5V / 2W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

LUMINOUS FLUX

≥400 lm

MATERIAL

ABS+PC

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

143×90×52mm

WORKING TIME

> 120 times

CCT

6500K

CONTROL


PIR sensor

WARRANTY

1 year

MS-PB/GR-36D

Solar Wall Light



PIR sensor. Extra-slim wall / mini street light. IC-controlled overcharge and over-discharge protection.

LEDS / LIGHT SOURCE

36 pcs × 0.2W

SOLAR PANEL

5.5V / 2.5W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

180×30×110mm

WORKING TIME

8-10 hours

MATERIAL



ABS

PACK QUANTITY

50 pcs / carton

MS-T26

Solar Wall Light



High, medium and low brightness. Always-on / dim-light sensing / bright-light sensing. Type-C USB charging.

LEDS / LIGHT SOURCE

84 pcs

SOLAR PANEL

5.5V / 2.6W

IP RATING

IP44

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

BATTERY

1800mAh

PRODUCT SIZE

188×174×87mm

WORKING TIME

10-12 hours

CONTROL


Light control + switch + motion sensing

WARRANTY

1 year

MS-WOS001

Solar Wall Washer Light



White / warm white / RGB options.

LEDS / LIGHT SOURCE

6 pcs

SOLAR PANEL

6V / 1.75W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

30 pcs / carton

BATTERY

1800mAh

PRODUCT SIZE

155×100×40mm

WORKING TIME

10-12 hours

CONTROL




Light control + switch

WARRANTY

1 year

MS-WH002

Solar Wall Washer Light



Always-on lighting.

LEDS / LIGHT SOURCE

8 pcs

SOLAR PANEL

6V / 2W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

Light control + switch

WARRANTY

1 year

BATTERY

1800mAh / 3.7V

PRODUCT SIZE

160×160×40mm

WORKING TIME

10-12 hours

LUMINOUS FLUX

≥40 lm

MATERIAL




ABS+PC

PACK QUANTITY

30 pcs / carton

MS-DZ001

Solar Wall Light



Photoelectric conversion rate 20% higher than other solar panels. Light up your way home.

LEDS / LIGHT SOURCE

40 pcs

SOLAR PANEL

5.5V / 0.8W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

PIR sensor

WARRANTY

1 year

BATTERY

1200mAh / 3.7V

PRODUCT SIZE

130×130×56mm

WORKING TIME

>8 hours

LUMINOUS FLUX

≥158 lm

MATERIAL

ABS



03

Bring light where life happens.

Pendant, desk, camping and rechargeable lights for a versatile lighting collection.

PENDANTS & PORTABLE LIGHTING

78 - 85



MS-YD001

Rechargeable Wall Light



Long lighting time,
switchable sensor modes




12m sensing range.
Switchable sensor modes.
Type-C rechargeable.
Dual switch control.
360-degree vertical rotation.

SPECIFICATIONS

Pack	Product size	Luminous flux	Battery	LEDs
1-pack	159.8×98.7×36.5mm	450 lm	3.7V / 10000mAh	2835 / 70 pcs
2-pack	159.8×98.7×36.5mm	450 lm	3.7V / 10000mAh	2835 / 70 pcs

MS-T36A

Light Energy Night Light



No charging ever. Always-on / motion-sensing lighting.

LEDS / LIGHT SOURCE

3 pcs

SOLAR PANEL

5.4V / 0.035W

IP RATING

IP62

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

3.7V / 500mAh

PRODUCT SIZE

79×79×23mm

WORKING TIME

>600 times

MATERIAL

ABS+PC

PACK QUANTITY

1 / 2 pcs

MS-1857A / MS-1857B

Solar Desk Lamp




Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

SPECIFICATION	MS-1857A	MS-1857B
LEDs / light source	9 pcs	9 pcs
Battery	3.7V / 500mAh	3.7V / 500mAh
Solar panel	4.5V / 0.22W	4.5V / 0.22W
Product size	85×95×95mm	85×95×95mm
IP rating	IP64	IP64
Working time	> 150 times	> 150 times
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
Control	Light control + switch	Light control + switch
Material	ABS+PC	ABS+PC
Warranty	1 year	1 year
Pack quantity	1 pc / carton	1 pc / carton

MS-1858

Solar Camping Light



Always-on lighting. CCT: 3000K + 4500K + 6500K.

LEDS / LIGHT SOURCE

160 pcs

SOLAR PANEL

4.5V / 0.18W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 pc / carton

BATTERY

3.7V / 2200mAh

PRODUCT SIZE

115×120×45mm

WORKING TIME

> 150 times

CONTROL


Light control + switch

WARRANTY

1 year

MS-T30

Magnetic Night Light



Always-on lighting. CCT: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

6 pcs

PRODUCT SIZE

89×76×31mm

WORKING TIME

>4500 times - 12,000 times (high / low brightness)

CONTROL

Light control + switch

WARRANTY

1 year

BATTERY

3.7V / 2200mAh

IP RATING

IP62

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS+PC

PACK QUANTITY

1 / 2 / 3 / 4 / 6 pcs

MS-T28-1

Solar Pendant Light



LED light source. Light control + remote control. Suitable for yards and outdoor use; resistant to rain.

LEDS / LIGHT SOURCE

29 pcs

SOLAR PANEL

5.5V / 1.265W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

MATERIAL

ABS

CABLE LENGTH

5m

BATTERY

1200mAh × 2 / 3.7V

PRODUCT SIZE

299×144×194mm

WORKING TIME

8-10 hours

CONTROL

PIR sensor

WARRANTY

1 year

OPERATING TEMPERATURE

-10 °C to 60 °C

MS-T28-2

Solar Pendant Light



E27 bulb. Charges by day and turns on at dusk. Smart power saving extends lighting time. For basements, courtyards, warehouses, aisles and camping.

LEDS / LIGHT SOURCE

COB bulb

SOLAR PANEL

5.5V / 1.265W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

1200mAh × 2 / 3.7V

PRODUCT SIZE

87×144.5mm

WORKING TIME

8-10 hours

MATERIAL


Stainless steel + ABS

CABLE LENGTH

5m

MS-1832A / MS-1832B / MS-1832C

Solar Pendant Light



Wall / fence application. Light control + timer + remote control. Continuous lighting for 5-10 hours.

SPECIFICATION	MS-1832A	MS-1832B	MS-1832C
LEDs / light source	122 pcs	182 pcs	254 pcs
Battery	10A (5A × 2)	12A (6A × 2)	24A (6A × 4)
Solar panel	5V / 12W	5V / 18W	5V / 25W
Product size	Dia.186×70.5mm	Dia.211.5×82mm	Dia.260.5×95mm
IP rating	IP64	IP64	IP64
Lighting area	60m ²	80m ²	100m ²
Solar panel size	360×172×17mm	340×290×17mm	340×385×17mm


04

Extend the glow beyond the garden.

Pool lights and compact streetlights complete the outdoor collection.

POOL & STREET LIGHTING

87 - 91



MS-LD001

Folding Integrated Streetlight





Exclusive patented mold. Foldable solar panel. PIR sensing: 15m width, 8m height. Light sensor + switch + remote control + timer. Three-sided lighting. IP65.

SPECIFICATIONS

Product size	Solar panel	Battery	LEDs
540×235×72mm	6V 12W+12W 230×293mm / 230×293mm	3.2V / 15000mAh	2835 / 140 pcs
540×235×72mm	6V 17W+17W 230×432mm / 230×432mm	3.2V / 25000mAh	2835 / 280 pcs
680×235×72mm	6V 25W+17W 230×573mm / 230×432mm	3.2V / 30000mAh	2835 / 420 pcs

MS-1211

Solar Pool Floating Light



Always-on lighting.

LEDS / LIGHT SOURCE

13 pcs

SOLAR PANEL

5V / 1.1W

IP RATING

IP68

CHARGING TIME

6-8 hours in bright sunlight

WARRANTY

1 year

BATTERY

3.7V / 1800mAh

PRODUCT SIZE

165×77mm

WORKING TIME

> 12 hours

MATERIAL


ABS+PC

PACK QUANTITY

1 / 2 pcs

MS-T12B / MS-T12BD

Solar Mini Street Light




Always-on lighting. PIR motion sensing.

SPECIFICATION	MS-T12B	MS-T12BD
LEDs / light source	96 pcs	99 pcs
Battery	2400mAh	3.7V / 2400mAh
Solar panel	5.5V / 1.3W	5.5V / 0.9W
Product size	275×85×55mm	275×85×55mm
IP rating	IP64	IP65
Working time	8-10 hours	> 150 times
Charging time	6-8 hours in bright sunlight	6-8 hours in bright sunlight
Control	PIR sensor	PIR sensor
Material	ABS	ABS+PC
Warranty	1 year	1 year
Pack quantity	1 pc / carton	1 pc / carton

MS-112G-COB96D

Solar Mini Street Light



PIR sensor with 3 lighting modes.

LEDS / LIGHT SOURCE

96 pcs

SOLAR PANEL

5.5V / 1.3W

IP RATING

IP64

CHARGING TIME

6-8 hours in bright sunlight

CONTROL

PIR sensor

WARRANTY

1 year

BATTERY

2400mAh

PRODUCT SIZE

70×100×275mm

WORKING TIME

8-10 hours

LUMINOUS FLUX

≥186 lm

MATERIAL



ABS

NET WEIGHT

284g

MS-1831

Solar Pool Light



Always-on lighting. Light control and remote control. Color options: 3000K + 4500K + 6500K / RGB.

LEDS / LIGHT SOURCE

13 pcs (RGB)

SOLAR PANEL

5.5V / 0.9W

IP RATING

IP68

CHARGING TIME

4-5 hours in bright sunlight

CONTROL

Light control + remote control

WARRANTY

1 year

BATTERY

1800mAh

PRODUCT SIZE

127×85×47mm; 77×33mm

WORKING TIME

>8 hours

CCT

RGB

MATERIAL

ABS+PC

Find your LIGHT.

Select a model number to jump directly to its product page.

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
MS-112G-COB96D	90	MS-1828C	48	MS-1857A	80
MS-1211	88	MS-1829	10	MS-1857B	80
MS-1311	38	MS-1829G	9	MS-1858	81
MS-1811A-COB	68	MS-1831	91	MS-1859	8
MS-1811B-COB	69	MS-1832A	85	MS-1861	44
MS-1812A	70	MS-1832B	85	MS-1862A	40
MS-1812B	71	MS-1832C	85	MS-1862B	40
MS-1813A-COB	15	MS-1833	11	MS-1863	42
MS-1813B-COB	16	MS-1836	45	MS-A18	56
MS-1818	17	MS-1836B	39	MS-AF-01	66
MS-1819	18	MS-1836BL	39	MS-AF003	67
MS-1822	64	MS-1838	51	MS-AF003S	67
MS-1826	65	MS-1853	50	MS-BD001	20
MS-1827	12	MS-1855-A	46	MS-BD002	21
MS-1828A	48	MS-1855-B	47	MS-BD003	22
MS-1828B	48	MS-1857	49	MS-BD006	23

Find your LIGHT.

Select a model number to jump directly to its product page.

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
MS-BD007	24, 25	MS-LD001	87	MS-T24Plus	43
MS-BD007-F	37	MS-PB/GR-36D	72	MS-T26	73
MS-BD008	26	MS-T12B	89	MS-T28-1	83
MS-BD010	27	MS-T12BD	89	MS-T28-2	84
MS-BD011	28	MS-T17	59	MS-T30	82
MS-BD012	29	MS-T18-128D	57	MS-T32A	41
MS-BD015	30	MS-T18L-310D	58	MS-T32B	41
MS-BD016-E	31	MS-T18L-FT310D	62	MS-T36A	79
MS-BD017	32	MS-T21	61	MS-TGD003F	33, 34, 35
MS-BD018	36	MS-T22-178D	52	MS-WD9D	14
MS-C18-24D	13	MS-T22L-388D	53	MS-WH002	75
MS-DC001	4	MS-T22L-FT380D	63	MS-WOS001	74
MS-DC003	5	MS-T23	60	MS-YD001	78
MS-DC006	6	MS-T24-230D	54		
MS-DC008	7	MS-T24B	55		
MS-DZ001	76	MS-T24L-416D	54		



LED Solar Garden Light

2026 COLLECTION

Garden & Path

Wall & Flood

Pendants & Portable

Pool & Street

TCLARO

WhatsApp



WeChat

